


Binary and Binomial Heaps

~~These lecture slides are adapted
from CLRS, Chapters 6, 19.~~

Binary Heap: Definition

Binary heap.


- Almost complete binary tree.
 - filled on all levels, except last, where filled from left to right
- Min-heap ordered.
 - every child greater than (or equal to) parent



Binary Heap: Properties

Properties.

- Min element is in root.
- Heap with N elements has height = $\lfloor \log_2 N \rfloor$.




N = 14
Height = 3

Binary Heaps: Array Implementation

Implementing binary heaps.


- Use an array: no need for explicit parent or child pointers.
 - $\text{Parent}(i) = \lfloor i/2 \rfloor$
 - $\text{Left}(i) = 2i$
 - $\text{Right}(i) = 2i + 1$



Binary Heap: Insertion

Insert element x into heap.


- Insert into next available slot.
- Bubble up until it's heap ordered.
 - Peter principle: nodes rise to level of incompetence



Binary Heap: Insertion

Insert element x into heap.


- Insert into next available slot.
- Bubble up until it's heap ordered.
 - Peter principle: nodes rise to level of incompetence



Binary Heap: Insertion

Insert element x into heap.


- Insert into next available slot.
- Bubble up until it's heap ordered.
 - Peter principle: nodes rise to level of incompetence



Binary Heap: Insertion

Insert element x into heap.


- Insert into next available slot.
- Bubble up until it's heap ordered.
 - Peter principle: nodes rise to level of incompetence
- $O(\log N)$ operations.



Binary Heap: Decrease Key

Decrease key of element x to k .


- Bubble up until it's heap ordered.
- $O(\log N)$ operations.



Binary Heap: Delete Min

Delete minimum element from heap.


- Exchange root with rightmost leaf.
- Bubble root down until it's heap ordered.
 - power struggle principle: better subordinate is promoted



Binary Heap: Delete Min

Delete minimum element from heap.


- Exchange root with rightmost leaf.
- Bubble root down until it's heap ordered.
 - power struggle principle: better subordinate is promoted



Binary Heap: Delete Min

Delete minimum element from heap.


- Exchange root with rightmost leaf.
- Bubble root down until it's heap ordered.
 - power struggle principle: better subordinate is promoted



Binary Heap: Delete Min

Delete minimum element from heap.


- Exchange root with rightmost leaf.
- Bubble root down until it's heap ordered.
 - power struggle principle: better subordinate is promoted



Binary Heap: Delete Min

Delete minimum element from heap.

- Exchange root with rightmost leaf.
- Bubble root down until it's heap ordered.
 - power struggle principle: better subordinate is promoted
- $O(\log N)$ operations.



Binary Heap: Heapsort


Heapsort.

- Insert N items into binary heap.
- Perform N delete-min operations.
- $O(N \log N)$ sort.
- No extra storage.

Binary Heap: Union

Union.

- Combine two binary heaps H_1 and H_2 into a single heap.
- No easy solution.
 - $\Omega(N)$ operations apparently required
- Can support fast union with fancier heaps.





Priority Queues

Operation	Linked List	Heaps			
		Binary	Binomial	Fibonacci *	Relaxed
make-heap	1	1	1	1	1
insert	1	log N	log N	1	1
find-min	N	1	log N	1	1
delete-min	N	log N	log N	log N	log N
union	1	N	log N	1	1
decrease-key	1	log N	log N	1	1
delete	N	log N	log N	log N	log N
is-empty	1	1	1	1	1

Binomial Tree

Binomial tree.

- Recursive definition:





Binomial Tree

Useful properties of order k binomial tree B_k .

- Number of nodes = 2^k .
- Height = k .
- Degree of root = k .
- Deleting root yields binomial trees B_{k-1}, \dots, B_0 .

Proof.


- By induction on k .



Binomial Tree

A property useful for naming the data structure.


- B_k has $\binom{k}{i}$ nodes at depth i .



Binomial Heap

Binomial heap. **Vuillemin, 1978.**


- Sequence of binomial trees that satisfy binomial heap property.
 - each tree is min-heap ordered
 - 0 or 1 binomial tree of order k




Binomial Heap: Implementation

Implementation.

- Represent trees using left-child, right sibling pointers.
 - three links per node (parent, left, right)
- Roots of trees connected with singly linked list.
 - degrees of trees strictly decreasing from left to right



Binomial Heap




Leftist Power-of-2 Heap

Binomial Heap: Properties

Properties of N-node binomial heap.


- Min key contained in root of B_0, B_1, \dots, B_k .
- Contains binomial tree B_i iff $b_i = 1$ where $b_n \cdot b_2 b_1 b_0$ is binary representation of N .
- At most $\lfloor \log_2 N \rfloor + 1$ binomial trees.
- Height $\leq \lfloor \log_2 N \rfloor$.




Binomial Heap: Union

Create heap H that is union of heaps H' and H''.

- "Mergeable heaps."
- Easy if H' and H'' are each order k binomial trees.
 - connect roots of H' and H''
 - choose smaller key to be root of H



Binomial Heap: Union




+

$19 + 7 = 26$

		1	1	1	
	1	0	0	1	1
+	0	0	1	1	1
	1	1	0	1	0



Binomial Heap: Union

+








Binomial Heap: Union

+










.....




+










+



+



+



Binomial Heap: Union

Create heap H that is union of heaps H' and H''.

- Analogous to binary addition.

Running time. $O(\log N)$

- Proportional to number of trees in root lists $\leq 2(\lfloor \log_2 N \rfloor + 1)$.

$$19 + 7 = 26$$


		1	1	1	
	1	0	0	1	1
+	0	0	1	1	1
	<hr/>	<hr/>	<hr/>	<hr/>	<hr/>
	1	1	0	1	0

Binomial Heap: Delete Min

Delete node with minimum key in binomial heap H.

- Find root x with min key in root list of H, and delete
- $H' \leftarrow$ broken binomial trees
- $H \leftarrow \text{Union}(H', H)$

Running time. $O(\log N)$





Binomial Heap: Delete Min

Delete node with minimum key in binomial heap H.

- Find root x with min key in root list of H, and delete
- $H' \leftarrow$ broken binomial trees
- $H \leftarrow \text{Union}(H', H)$

Running time. $O(\log N)$




Binomial Heap: Decrease Key

Decrease key of node x in binomial heap H .

- Suppose x is in binomial tree B_k .
- Bubble node x up the tree if x is too small.

Running time. $O(\log N)$

- Proportional to depth of node $x \leq \lfloor \log_2 N \rfloor$.



Binomial Heap: Delete

Delete node x in binomial heap H .

- Decrease key of x to $-\infty$.
- Delete min.


Running time. $O(\log N)$

Binomial Heap: Insert

Insert a new node x into binomial heap H .

- $H' \leftarrow \text{MakeHeap}(x)$
- $H \leftarrow \text{Union}(H', H)$


Running time. $O(\log N)$



Binomial Heap: Sequence of Inserts

Insert a new node x into binomial heap H .

- If $N = \dots\dots\dots 0$, then only 1 steps.
- If $N = \dots\dots\dots 01$, then only 2 steps.
- If $N = \dots\dots\dots 011$, then only 3 steps.
- If $N = \dots\dots\dots 0111$, then only 4 steps.



Inserting 1 item can take $\Omega(\log N)$ time.

- If $N = 11\dots111$, then $\log_2 N$ steps.

But, inserting sequence of N items takes $O(N)$ time!

- $(N/2)(1) + (N/4)(2) + (N/8)(3) + \dots \leq 2N$
- Amortized analysis.
- Basis for getting most operations down to constant time.

$$\sum_{n=1}^N \frac{n}{2^n} = 2 - \frac{N}{2^N} - \frac{1}{2^{N-1}}$$

$$\leq 2$$

Priority Queues

Operation	Linked List	Heaps			
		Binary	Binomial	Fibonacci *	Relaxed
make-heap	1	1	1	1	1
insert	1	log N	log N	1	1
find-min	N	1	log N	1	1
delete-min	N	log N	log N	log N	log N
union	1	N	log N	1	1
decrease-key	1	log N	log N	1	1
delete	N	log N	log N	log N	log N
is-empty	1	1	1	1	1

